

Michał Jaszuński

Institute of Organic Chemistry,
Polish Academy of Sciences,
01 224 Warszawa, Kasprzaka 44, Poland

Publication list

- [1] A. J. Sadlej and M. Jaszuński. Analysis of the Karplus-Kolker approximation to Hartree-Fock perturbation theory. *Mol. Phys.*, 22:761, 1971.
- [2] M. Jaszuński, A. Okniński, and A. J. Sadlej. Second-order properties of the water molecule. *Acta Phys. Polon. A*, 41:595, 1972.
- [3] M. Jaszuński and A. J. Sadlej. Calculation of the hydrogen-bond NMR shift in the water dimer. *Chem. Phys. Lett.*, 15:41, 1972.
- [4] M. Jaszuński and A. J. Sadlej. Proton magnetic shielding in the water molecule. *Theor. Chim. Acta*, 27:135, 1972.
- [5] M. Jaszuński and A. J. Sadlej. Proton magnetic shielding in H₂O and (H₂O)₂. *Theor. Chim. Acta*, 30:257, 1973.
- [6] M. Jaszuński and A. J. Sadlej. UCHF study of magnetic properties of H₂O. A comparison of the Dalgarno and the Karplus-Kolker methods. *Bull. Acad. Pol. Sci., Ser. Sci. Chim.*, 21:433, 1973.
- [7] M. Jaszuński and A. J. Sadlej. Coupled multiconfiguration self-consistent field (MC SCF) perturbation theory. *Theor. Chim. Acta*, 40:157, 1975.
- [8] M. Jaszuński. Multiconfiguration coupled Hartree-Fock perturbation scheme - a matrix formulation. *Acta Phys. Polon. A*, 49:785, 1976.
- [9] M. Jaszuński and A. J. Sadlej. Analytic techniques for the coupled multiconfiguration SCF perturbation theory. *Int. J. Quantum Chem.*, 11:233, 1977.
- [10] M. Jaszuński and E. Kochanski. Ab initio SCF study of the C₂H₄ + Cl₂ reaction. *J. Am. Chem. Soc.*, 99:4624, 1977.
- [11] M. Jaszuński, E. Kochanski, and P. E. M. Siegbahn. Ab initio calculations on the H₄ van der Waals dimer: perturbation dispersion energy versus CI treatment. *Mol. Phys.*, 33:139, 1977.

- [12] M. Jaszuński. Magnetic susceptibility of the BH molecule. *Theor. Chim. Acta*, 48:323, 1978.
- [13] M. Jaszuński and B. Roos. Finite-field MC SCF study of the hydrogen molecule polarizability. *Chem. Phys. Lett.*, 67:189, 1979.
- [14] B. Jeziorski, K. Szalewicz, and M. Jaszuński. Pade approximants and the convergence problem in the perturbation theory of intermolecular interactions. *Chem. Phys. Lett.*, 61:391, 1979.
- [15] M. Jaszuński. Coupled Hartree-Fock calculation of the induction energy. *Mol. Phys.*, 39:777, 1980.
- [16] M. Jaszuński and L. Adamowicz. Generation of a basis set for the calculation of molecular magnetic properties. *Chem. Phys. Lett.*, 79:133, 1981.
- [17] M. Jaszuński, B. O. Roos, and P. O. Widmark. A CASSCF study of the potential curves for the $X^1\Sigma^+$, $B^1\Sigma^+$ and $A^1\Pi$ states of the BH molecule. *J. Chem. Phys.*, 75:306, 1981.
- [18] M. Jaszuński and R. McWeeny. Calculations of frequency-dependent properties by multiconfiguration time-dependent Hartree-Fock theory. *Mol. Phys.*, 46:863, 1982.
- [19] M. Jaszuński, B. T. Pickup, and R. McWeeny. Problems in electron propagator calculations of the correlation energy. *Chem. Phys. Lett.*, 90:167, 1982.
- [20] G. H. F. Diercksen, M. Jaszuński, and A. J. Sadlej. Near-degeneracy effects and efficiency of MBPT calculations of molecular properties. Polarizability curve of H_2 . *Chem. Phys.*, 71:105, 1982.
- [21] M. Jaszuński and B. O. Roos. An ab initio study of the nonlinear optical properties of the He atom and the H_2 molecule. *Mol. Phys.*, 52:1209, 1984.
- [22] M. Jaszuński and R. McWeeny. Time-dependent Hartree-Fock calculations of dispersion energy. *Mol. Phys.*, 55:1275, 1985. (erratum) 57,1317,1986.
- [23] S. Rybak, K. Szalewicz, B. Jeziorski, and M. Jaszuński. Intraatomic correlation effects for the He-He dispersion and exchange-dispersion energies using explicitly correlated gaussian geminals. *J. Chem. Phys.*, 86:5652, 1987.
- [24] M. Jaszuński. Perturbation theory of pair polarizabilities. *Chem. Phys. Lett.*, 135:565, 1987.
- [25] B. O. Roos, M. Szulkin, and M. Jaszuński. Dynamic correlation for MC SCF wave functions. An effective potential method. *Theor. Chim. Acta*, 71:375, 1987.

- [26] M. Jaszuński. A mixed numerical-analytical approach to the calculation of nonlinear electric properties. *Chem. Phys. Lett.*, 140:130, 1987.
- [27] M. Jaszuński, A. Rizzo, and D. L. Yeager. Application of the Multiconfiguration Time-Dependent Hartree-Fock method to CH^+ : The auxiliary active space. *J. Chem. Phys.*, 89:3063, 1988.
- [28] M. Jaszuński, A. Rizzo, and D. L. Yeager. Ab initio linear response calculations of the dipole polarizability of the acetylene molecule. *Chem. Phys. Lett.*, 149:79, 1988.
- [29] M. Jaszuński, A. Rizzo, and D. L. Yeager. A multiconfiguration linear response study of N_2 . *Chem. Phys.*, 136:385, 1989.
- [30] M. Jaszuński and D. L. Yeager. Hyperpolarizability of the neon atom. *Phys. Rev. A*, 40:1651, 1989.
- [31] A. Barszczewicz, M. Jaszuński, and L. Stefaniak. Nitrogen NMR chemical shifts in mesoionic compounds: a comparison of theory and experiment. *Chem. Phys. Lett.*, 186:313, 1991.
- [32] M. P. Fülcher, M. Jaszuński, B. O. Roos, and W. P. Kraemer. A Restricted Active Space Self-consistent Field and Multi-Reference Configuration Interaction study of the lifetime of the $\text{A}^3\Pi$ state of SO . *J. Chem. Phys.*, 96:504, 1992.
- [33] M. Jaszuński, P. Jørgensen, and H. J. Aa. Jensen. Frequency-dependent hyperpolarizability of hydrogen fluoride. *Chem. Phys. Lett.*, 191:293, 1992.
- [34] M. Jaszuński, H. J. Aa. Jensen, P. Jørgensen, A. Rizzo, T. Helgaker, and K. Ruud. The magnetic hyperpolarizability anisotropy of the neon atom. *Chem. Phys. Lett.*, 191:599, 1992.
- [35] A. Barszczewicz, M. Jaszuński, and K. Jackowski. Ab initio calculations of the oxygen atom NMR shielding in the carbonyl group. *Chem. Phys. Lett.*, 203:404, 1993.
- [36] A. Barszczewicz, M. Jaszuński, K. Kamieńska-Trela, T. Helgaker, P. Jørgensen, and O. Vahtras. Ab initio study of the NMR shielding constants and spin-spin coupling constants in cyclopropene. *Theor. Chim. Acta*, 87:19–28, 1993.
- [37] M. Jaszuński, P. Jørgensen, H. Koch, H. Ågren, and T. Helgaker. Frequency dependent hyperpolarizabilities of polyynes. *J. Chem. Phys.*, 98:7229, 1993.
- [38] M. Jaszuński, K. L. Bak, P. Jørgensen, T. Helgaker, K. Ruud, and H. J. Aa. Jensen. Nuclear magnetic shielding tensor for the ethylenic carbon atom in tetrachlorocyclopropene. *Chem. Phys. Lett.*, 204:608, 1993.

- [39] M. Jaszuński, T. Helgaker, K. Ruud, K. L. Bak, and P. Jørgensen. MC-SCF calculations of Nitrogen NMR shielding constants using London atomic orbitals. *Chem. Phys. Lett.*, 220:154, 1994.
- [40] M. Jaszuński. Linear response calculation of potential energy curves of BH. *Int. J. Quantum Chem.*, 51:307, 1994.
- [41] M. Jaszuński, P. Jørgensen, A. Rizzo, K. Ruud, and T. Helgaker. MCSCF calculations of Verdet constants. *Chem. Phys. Lett.*, 222:263, 1994.
- [42] A. Barszczewicz, T. Helgaker, M. Jaszuński, P. Jørgensen, and K. Ruud. Multiconfigurational self-consistent field calculations of nuclear magnetic resonance indirect spin-spin coupling constants. *J. Chem. Phys.*, 101:6822, 1994.
- [43] M. Jaszuński, P. Jørgensen, and A. Rizzo. MCSCF calculations of response properties of Argon. *Theor. Chim. Acta*, 90:291, 1995.
- [44] A. Barszczewicz, T. Helgaker, M. Jaszuński, P. Jørgensen, and K. Ruud. NMR shielding tensors and indirect spin-spin coupling tensors in HCN, HNC, CH₃CN and CH₃NC molecules. *J. Magn. Reson. A*, 114:212, 1995.
- [45] M. Jaszuński, T. Helgaker, K. Ruud, P. Jørgensen, K. L. Bak, and H. Koch. SCF calculations of the NMR shielding tensor for the ethylenic carbon atom in C₃Cl₄. *Mol. Phys.*, 85:671, 1995.
- [46] A. Rizzo, T. Helgaker, K. Ruud, A. Barszczewicz, M. Jaszuński, and P. Jørgensen. Electric field dependence of magnetic properties. Multiconfigurational self-consistent field calculation of hypermagnetizabilities and nuclear shielding polarizabilities of N₂, C₂H₂, HCN and H₂O. *J. Chem. Phys.*, 102:8953, 1995.
- [47] M. Jaszuński, S. Szymański, O. Christiansen, P. Jørgensen, T. Helgaker, and K. Ruud. NMR properties of N₃⁻ - a comparison of theory and experiment. *Chem. Phys. Lett.*, 243:144, 1995.
- [48] M. Jaszuński and A. Rizzo. MCSCF calculation of the frequency dependent hyperpolarizability of the Lithium atom. *Int. J. Quantum Chem.*, 60:487, 1996.
- [49] A. Barszczewicz, M. Jaszuński, T. Helgaker, and K. Ruud. Long range effects of interatomic interactions on NMR shielding constants. *Chem. Phys. Lett.*, 250:1, 1996.
- [50] M. Jaszuński, T. Helgaker, and K. Ruud. Ab initio studies of the [AX]₂ spin systems of cis and trans N₂F₂. *Magn. Reson. Chem.*, 34:646, 1996.

- [51] T. Helgaker, M. Jaszuński, and K. Ruud. Ab initio calculations of NMR shielding and spin-spin coupling constants in fluoroethylene. *Mol. Phys.*, 91:881–889, 1997.
- [52] K. Jackowski, M. Jaszuński, and W. Makulski. A comparison of the experimental and ab initio values of the ^{17}O NMR chemical shifts in the carbonyl group. *J. Magn. Reson.*, 127:139, 1997.
- [53] T. Helgaker, M. Jaszuński, and K. Ruud. Full CI calculations of magnetic properties of the H_2 molecule in the $\text{B}^1\Sigma_u^+$ state. *Pol. J. Chem.*, 72:1405, 1998.
- [54] M. Jaszuński and A. Rizzo. Ab initio study of Nitrogen-14 Nuclear Quadrupole Coupling and NMR signal linewidths in some azoles. *Z. Naturforsch. A*, 53:362, 1998.
- [55] T. Helgaker, M. Jaszuński, K. Ruud, and A. Górska. Basis set dependence of nuclear spin-spin coupling constants. *Theor. Chem. Acc.*, 99:175–182, 1998.
- [56] S. Coriani, M. Jaszuński, A. Rizzo, and K. Ruud. MCSCF nuclear magnetic shieldings and spin-rotation constants of ^{17}O in $^{16}\text{O}^{17}\text{O}^{16}\text{O}$ and $^{17}\text{O}^{16}\text{O}^{16}\text{O}$. *Chem. Phys. Lett.*, 287:677, 1998.
- [57] A. Rizzo, K. Ruud, T. Helgaker, and M. Jaszuński. Electric field gradient, generalized Sternheimer shieldings and electric field gradient polarizabilities by multiconfigurational SCF response. *J. Chem. Phys.*, 109:2264, 1998.
- [58] K. Jackowski, M. Jaszuński, W. Makulski, and J. Vaara. Rovibrationally averaged nuclear shielding constants in OCS. *J. Magn. Reson.*, 135:444, 1998.
- [59] M. Jaszuński and A. Rizzo. A study of the effect of Circularly Polarized Light on NMR spectra and related properties of CS_2 . *Mol. Phys.*, 96:855, 1999.
- [60] T. Helgaker, M. Jaszuński, and K. Ruud. Ab initio methods for the calculation of NMR shielding and indirect spin-spin coupling constants. *Chem. Rev.*, 99:293–352, 1999.
- [61] M. Pecul, M. Jaszuński, and J. Sadlej. The geometry dependence of the spin-spin coupling constants in ethane: a theoretical study. *Chem. Phys. Lett.*, 305:139–146, 1999.
- [62] M. Jaszuński and K. Ruud. The magnetic properties of the $\tilde{A}^1\text{A}_2$ excited state of H_2CS . *Chem. Phys. Lett.*, 306:64–70, 1999.
- [63] A. Halkier, M. Jaszuński, and P. Jørgensen. Nuclear Quadrupole Coupling Constants in NH_4Cl . *Phys. Chem. Chem. Phys.*, 1:4165–4168, 1999.

- [64] K. Ruud, P. R. Taylor, and M. Jaszuński. Comment on: On the Magnetic Susceptibility of Fluorine (J. Phys. Chem. A 1999, 103, 2861). *J. Phys. Chem. A*, 104:168–169, 2000.
- [65] M. Pecul, M. Jaszuński, H. Larsen, and P. Jørgensen. Singlet excited states of Be₂. *J. Chem. Phys.*, 112:3671–3679, 2000.
- [66] M. Jaszuński, K. V. Mikkelsen, A. Rizzo, and M. Witkowski. A study of the nitrogen NMR spectra of azoles and their solvent dependence. *J. Phys. Chem. A*, 104:1466–1473, 2000.
- [67] A. Halkier, B. Kirchner, H. Huber, and M. Jaszuński. Nuclear Quadrupole Coupling Constant of ²¹Ne in the neon dimer and its influence on the T₁ NMR relaxation time in fluid neon. *Chem. Phys.*, 253:183–191, 2000.
- [68] M. Jaszuński, W. Klopper, and J. Noga. Explicitly correlated coupled cluster R12 calculations of the dipole polarizability of He₂. *J. Chem. Phys.*, 113:71–72, 2000.
- [69] M. Pecul, M. Jaszuński, and P. Jørgensen. Singlet excitations and dipole polarizabilities of Li₂, Li₄ and Li₈ clusters. *Mol. Phys.*, 98:1455–1465, 2000.
- [70] M. Jaszuński and K. Ruud. Spin-spin coupling constants in C₂H₂. *Chem. Phys. Lett.*, 336:473–478, 2001.
- [71] M. Pecul, H. Dodziuk, M. Jaszuński, O. Lukin, and J. Leszczyński. Ab initio calculations of the NMR spectra of [1.1.1]propellane and bicyclo[1.1.1]pentane. *Phys. Chem. Chem. Phys.*, 3:1986–1991, 2001.
- [72] M. Jaszuński, A. Rizzo, and P. Jørgensen. Coupled cluster calculation of dispersion contributions to interaction energies and polarizabilities. *Theor. Chem. Acc.*, 106:251–258, 2001.
- [73] K. Hald, P. Jørgensen, J. Olsen, and M. Jaszuński. An analysis and implementation of a general coupled cluster approach to excitation energies with application to the B₂ molecule. *J. Chem. Phys.*, 115:671–679, 2001.
- [74] T. Janowski and M. Jaszuński. Ab initio calculations of the NMR properties of the NH₃ ··· H₂O complex. *Int. J. Quantum Chem.*, 90:1083–1090, 2002.
- [75] S. Coriani, M. Pecul, A. Rizzo, P. Jørgensen, and M. Jaszuński. Ab initio study of magnetochiral birefringence. *J. Chem. Phys.*, 117:6417–6428, 2002.
- [76] M. Jaszuński, G. Dolgonos, and H. Dodziuk. Ab initio calculations of NMR chemical shifts and spin-spin coupling constants of bicyclobutane. *Theor. Chem. Acc.*, 108:240–245, 2002.

- [77] K. Hald, P. Jørgensen, W. H. Breckenridge, and M. Jaszuński. Calculation of ground and excited state potential energy curves of the MgAr complex using the coupled cluster approximate triples model CC3. *Chem. Phys. Lett.*, 364:402–408, 2002.
- [78] M. Jeziorska, R. Bukowski, W. Cencek, M. Jaszuński, B. Jeziorski, and K. Szalewicz. On the performance of bond functions and basis set extrapolation techniques in high-accuracy calculations of interatomic potentials. A helium dimer study. *Collect. Czech. Chem. Commun.*, 68:463–488, 2003.
- [79] M. Jaszuński, K. Ruud, and T. Helgaker. Density-functional theory calculation of the nuclear magnetic resonance indirect nuclear spin–spin coupling constants in C_{60} . *Mol. Phys.*, 101:1997–2002, 2003.
- [80] R. Moszynski, G. Łach, M. Jaszuński, and B. Bussery-Honvault. Long-range relativistic interactions in the Cowan-Griffin approximation and their QED retardation. Application to helium, calcium, and cadmium dimers. *Phys. Rev. A*, 68:052706–(1–11), 2003.
- [81] T. A. Ruden, T. Helgaker, and M. Jaszuński. The NMR indirect nuclear spin–spin coupling constants for some small rigid hydrocarbons: molecular equilibrium values and vibrational corrections. *Chem. Phys.*, 296:53–62, 2004.
- [82] M. Jaszuński. Ab initio study of the shielding and spin–spin coupling constants in ClF_3 , PF_3 and PF_5 . *Chem. Phys. Lett.*, 385:122–126, 2004.
- [83] W. Cencek, M. Jeziorska, R. Bukowski, M. Jaszuński, B. Jeziorski, and K. Szalewicz. Helium dimer interaction energies from Gaussian geminal and orbital calculations. *J. Phys. Chem. A*, 108:3211–3224, 2004.
- [84] M. A. Watson, P. Sałek, P. Macak, M. Jaszuński, and T. Helgaker. The calculation of indirect nuclear spin–spin coupling constants in large molecules. *Chem. Eur. J.*, 10:4627–4639, 2004.
- [85] H. Cybulski, M. Pecul, T. Helgaker, and M. Jaszuński. Theoretical studies of nuclear magnetic resonance parameters for the proton-exchange pathways in porphyrin and porphycene. *J. Phys. Chem. A*, 109:4162–4171, 2005.
- [86] H. Dodziuk, M. Jaszuński, and W. Schilf. 1H and ^{13}C NMR chemical shifts and spin–spin coupling constants in trans- and cis-decalins. *Magn. Reson. Chem.*, 43:639–646, 2005.
- [87] A. Antušek, K. Jackowski, M. Jaszuński, W. Makulski, and M. Wilczek. Nuclear magnetic dipole moments from NMR spectra. *Chem. Phys. Lett.*, 411:111–116, 2005.

- [88] J. Jaroniec and M. Jaszuński. NMR properties of the formic acid dimer. *Pol. J. Chem.*, 80:1061–1074, 2006.
- [89] A. Antušek and M. Jaszuński. Coupled cluster study of NMR shielding constants and spin-rotation constants in SiH₄, PH₃ and H₂S molecules. *Mol. Phys.*, 104:1463–1474, 2006.
- [90] M. Jaszuński and K. Ruud. Nuclear magnetic resonance shielding constants in XH₄ group XIV hydrides. *Mol. Phys.*, 104:2139–2148, 2006.
- [91] W. Makulski, K. Jackowski, A. Antušek, and M. Jaszuński. Gas-phase NMR measurements, absolute shielding scales and magnetic dipole moments of ²⁹Si and ⁷³Ge nuclei. *J. Phys. Chem. A*, 110:11462–11466, 2006.
- [92] T. Helgaker, O. B. Lutnæs, and M. Jaszuński. Density-functional and coupled-cluster singles-and-doubles calculations of the nuclear shielding and indirect nuclear spin–spin coupling constants of *o*-benzyne. *J. Chem. Theory Comp.*, 3:86–94, 2007.
- [93] A. Antušek, M. Jaszuński, and A. Rizzo. An ab initio study of interaction–induced NMR shielding constants in mixed rare gas dimers. *J. Chem. Phys.*, 126:074303–(1–9), 2007.
- [94] K. Jackowski and M. Jaszuński. Nuclear magnetic moments from NMR spectra – experimental gas phase studies and nuclear shielding calculations. *Conc. Magn. Reson. Part A*, 30:246–260, 2007.
- [95] M. Jaszuński and K. Jackowski. Nuclear magnetic dipole moments from NMR spectra – quantum chemistry and experiment. In S. G. Karshenboim, editor, *Lecture Notes in Physics*, volume 745, pages 233–260. Springer, 2008.
- [96] T. Helgaker, M. Jaszuński, and M. Pecul. The quantum-chemical calculation of NMR indirect spin–spin coupling constants. *Progr. Nucl. Magn. Reson. Spectrosc.*, 53:249–268, 2008.
- [97] K. Jackowski, M. Jaszuński, B. Kamieński, and M. Wilczek. NMR frequency and magnetic dipole moment of ³He nucleus. *J. Magn. Reson.*, 193:147–149, 2008.
- [98] A. Antušek, D. Kędziera, K. Jackowski, M. Jaszuński, and W. Makulski. Indirect spin–spin coupling constants in CH₄, SiH₄ and GeH₄ - Gas-phase NMR experiment and ab initio calculations. *Chem. Phys.*, 352:320–326, 2008.
- [99] O. B. Lutnæs, T. Helgaker, and M. Jaszuński. Density-functional calculations of the nuclear magnetic shielding and indirect nuclear spin–spin coupling constants of three isomers of C₂₀. *Mol. Phys.*, 106:2357–2365, 2008.

- [100] A. J. Thorvaldsen, K. Ruud, and M. Jaszuński. Analytic calculations of vibrational hyperpolarizabilities in the atomic orbital basis. *J. Phys. Chem. A*, 112:11942–11950, 2008.
- [101] K. Jackowski, W. Makulski, A. Szyprowska, A. Antušek, M. Jaszuński, and J. Jusélius. NMR shielding constants in BF_3 and magnetic dipole moments of ^{11}B and ^{10}B nuclei. *J. Chem. Phys.*, 130:044309–(1–5), 2009.
- [102] M. Jaszuński and J. Vaara. ^{19}F spin–spin coupling in *peridifluoronaphthalene*. *Phys. Chem. Chem. Phys.*, 11:4136–4140, 2009.
- [103] K. Jackowski, W. Makulski, A. Szyprowska, A. Antušek, and M. Jaszuński. Temperature dependence of the $^1J(^{11}\text{B}^{19}\text{F})$ spin–spin coupling in BF_3 molecule. *Magn. Reson. Chem.*, 47:857–861, 2009.
- [104] K. Jackowski, M. Jaszuński, and M. Wilczek. Alternative approach to the standardization of NMR spectra. Direct measurement of nuclear magnetic shielding in molecules. *J. Phys. Chem. A*, 114:2471–2475, 2010.
- [105] O. B. Lutnæs, T. Helgaker, and M. Jaszuński. Spin–spin coupling constants and triplet instabilities in Kohn–Sham theory. *Mol. Phys.*, 108:2579–2590, 2010.
- [106] M. Jaszuński, G. Lach, and K. Strasburger. NMR shielding constants in hydrogen molecule isotopomers. *Theor. Chem. Acc.*, 129:325–330, 2011.
- [107] M. Pecul, M. Urbańczyk, A. Wodyński, and M. Jaszuński. DFT calculations of ^{31}P spin–spin coupling constants and chemical shift in dioxaphosphorinanes. *Magn. Reson. Chem.*, 49:399–404, 2011.
- [108] A. Antušek, M. Jaszuński, and M. Olejniczak. Ab initio study of NMR shielding constants and spin–rotation constants in N, P and As diatomic molecules. *Comp. Theor. Chem.*, 970:54–60, 2011.
- [109] P. Garbacz, K. Piszczatowski, K. Jackowski, R. Moszynski, and M. Jaszuński. Weak intermolecular interactions in gas-phase nuclear magnetic resonance. *J. Chem. Phys.*, 135:084310–(1–8), 2011.
- [110] P. Lantto, K. Jackowski, W. Makulski, M. Olejniczak, and M. Jaszuński. NMR shielding constants in PH_3 , absolute shielding scale and the nuclear magnetic moment of ^{31}P . *J. Phys. Chem. A*, 115:10617–10623, 2011.
- [111] M. Jaszuński, A. Rizzo, and K. Ruud. Molecular electric, magnetic and optical properties. In J. Leszczynski, editor, *Handbook of Computational Chemistry*, pages 361–441. Springer, Dordrecht, 2012.
- [112] A. Brzyska and M. Jaszuński. Coupled cluster and DFT calculations of ^{14}N nuclear quadrupole coupling constants. *Int. J. Quantum Chem.*, 112:2281–2286, 2012.

- [113] A. Brzyska, K. Woliński, and M. Jaszuński. Theoretical studies of the dependence of nuclear quadrupole coupling constants on intermolecular forces. *Comp. Theor. Chem.*, 983:54–60, 2012.
- [114] A. Antušek, D. Kędziera, A. Kaczmarek-Kędziera, and M. Jaszuński. Coupled cluster study of NMR shielding of alkali metal ions in water complexes and magnetic moments of alkali metal nuclei. *Chem. Phys. Lett.*, 532:1–8, 2012.
- [115] M. Jaszuński, A. Antušek, P. Garbacz, K. Jackowski, W. Makulski, and M. Wilczek. The determination of accurate nuclear magnetic dipole moments and direct measurement of NMR shielding constants. *Progr. Nucl. Magn. Reson. Spectrosc.*, 67:49–63, 2012.
- [116] T. Helgaker, M. Jaszuński, P. Garbacz, and K. Jackowski. The NMR indirect nuclear spin–spin coupling constant of the HD molecule. *Mol. Phys.*, 110:2611–2617, 2012.
- [117] M. Jaszuński and M. Olejniczak. NMR shielding constants in SeH₂ and TeH₂. *Mol. Phys.*, 111:1355–1363, 2013.
- [118] A. Antušek, P. Rodziewicz, D. Kędziera, A. Kaczmarek-Kędziera, and M. Jaszuński. Ab initio study of NMR shielding of alkali earth metal ions in water complexes and magnetic moments of alkali earth metal nuclei. *Chem. Phys. Lett.*, 588:57–62, 2013.
- [119] M. Jaszuński, M. Repisky, T. B. Demissie, S. Komorovsky, E. Malkin, K. Ruud, P. Garbacz, K. Jackowski, and W. Makulski. Spin-rotation and NMR shielding constants in HCl. *J. Chem. Phys.*, 139:234302, 2013.
- [120] B. Gao, M. Ringholm, R. Bast, K. Ruud, A. J. Thorvaldsen, and M. Jaszuński. Analytic density-functional theory calculations of pure vibrational hyperpolarizabilities: the first dipole hyperpolarizability of retinal and related molecules. *J. Phys. Chem. A*, 118:748–756, 2014. (erratum) 118, 2835–2837, 2014.
- [121] K. Ruud, T. B. Demissie, and M. Jaszuński. Ab initio and relativistic DFT study of spin–rotation and NMR shielding constants in XF₆ molecules, X = S, Se, Te, Mo and W. *J. Chem. Phys.*, 140:194308, 2014.
- [122] P. Garbacz, W. Makulski, and M. Jaszuński. The NMR spin–spin coupling constant $^1J(^{31}\text{P},^1\text{H})$ in an isolated PH₃ molecule. *Phys. Chem. Chem. Phys.*, 16:21559–21563, 2014.
- [123] M. Jaszuński, T. B. Demissie, and K. Ruud. Spin–Rotation and NMR Shielding Constants in XF Molecules (X = B, Al, Ga, In and Tl). *J. Phys. Chem. A*, 118:9588–9595, 2014.

- [124] T. B. Demissie, M. Jaszuński, E. Malkin, S. Komorovský, and K. Ruud. NMR shielding and spin-rotation constants in XCO (X = Ni, Pd, Pt) molecules. *Mol. Phys.*, 113:1576–1584, 2015.
- [125] P. Garbacz, J. Cukras, and M. Jaszuński. A Theoretical Study of Potentially Observable Chirality-Sensitive NMR Effects in Molecules. *Phys. Chem. Chem. Phys.*, 17:22642–22651, 2015.
- [126] T. B. Demissie, M. Jaszuński, S. Komorovsky, M. Repisky, and K. Ruud. Absolute NMR Shielding Scales and Nuclear Spin-Rotation Constants in ^{175}LuX and ^{197}AuX (X = ^{19}F , ^{35}Cl , ^{79}Br and ^{127}I). *J. Chem. Phys.*, 143:164311, 2015.
- [127] A. Antušek and M. Jaszuński. Accurate Nonrelativistic Calculations of NMR Shielding Constants. In K. Jackowski and M. Jaszuński, editors, *Gas Phase NMR*, pages 186–217. The Royal Society of Chemistry, 2016.
- [128] B. Adrjan, W. Makulski, K. Jackowski, T. B. Demissie, K. Ruud, A. Antušek, and M. Jaszuński. NMR absolute shielding scale and nuclear magnetic dipole moment of ^{207}Pb . *Phys. Chem. Chem. Phys.*, 18:16483–16490, 2016.
- [129] P. Garbacz, M. Chotkowski, Z. Rogulski, and M. Jaszuński. Indirect Spin-Spin Coupling Constants in the Hydrogen Isotopologues. *J. Phys. Chem. A*, 120:5549–5553, 2016.
- [130] T. Helgaker, M. Jaszuński, and P. Świder. Calculation of NMR spin-spin coupling constants in strychnine. *J. Org. Chem.*, 81:11496–11500, 2016.
- [131] M. Jaszuński, A. Antušek, T. B. Demissie, S. Komorovsky, M. Repisky, and K. Ruud. Indirect NMR spin-spin coupling constants in diatomic alkali halides. *J. Chem. Phys.*, 145:244308, 2016.
- [132] K. Jakubowska, M. Pecul, and M. Jaszuński. Spin-spin coupling constants in $\text{HC}\equiv\text{CXH}_3$ molecules; X = C, Si, Ge, Sn and Pb. *Theor. Chem. Acc.*, 137:41, 2018.
- [133] T. E. Field-Theodore, M. Olejniczak, M. Jaszuński, and D. J. D. Wilson. NMR shielding constants in group 15 trifluorides. *Phys. Chem. Chem. Phys.*, 20:23025–23033, 2018.
- [134] A. Antušek, M. Repisky, M. Jaszuński, K. Jackowski, W. Makulski, and M. Misiak. Nuclear magnetic dipole moment of ^{209}Bi from NMR experiments. *Phys. Rev. A*, 98:052509, 2018.
- [135] M. Jaszuński, P. Świder, and S. P. A. Sauer. Through-space spin-spin coupling constants involving fluorine: benchmarking DFT functionals. *Mol. Phys.*, 2019.